

L Number	Hits	Search Text	DB	Time stamp
2	1779	((711/103) or (711/156) or (711/154) or (711/159) or (711/155)).CCLS.	USPAT	2003/01/03 11:05
6	171	((flash or prom or eprom or eeprom or nvm or nonvolatile or (non adj volatile)) same (rewrit\$4 or updat\$4) near5 (stage\$1 or step\$1 or pipelin\$4)) and (((stage\$1 or step\$1) near4 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1)) same (rewrit\$4 or updat\$4))	USPAT; US-PGPUB	2003/01/03 11:35
7	15	((flash or prom or eprom or eeprom or nvm or nonvolatile or (non adj volatile)) same (rewrit\$4 or updat\$4) near5 (stage\$1 or step\$1 or pipelin\$4)) and (((stage\$1 or step\$1) near4 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1)) same (rewrit\$4 or updat\$4))) and (((711/103) or (711/156) or (711/154) or (711/159) or (711/155)).CCLS.)	USPAT; US-PGPUB	2003/01/03 11:21
9	5	((flash or prom or eprom or eeprom or nvm or nonvolatile or (non adj volatile)) same (rewrit\$4 or updat\$4) near5 (stage\$1 or step\$1 or pipelin\$4)) and (((stage\$1 or step\$1) near4 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1)) same (rewrit\$4 or updat\$4))	EPO; JPO; DERWENT; IBM_TDB	2003/01/03 11:21
10	1	5590306.pn. and resum\$4	USPAT; US-PGPUB	2003/01/03 11:49
11	1	5590306.pn. and start\$4	USPAT; US-PGPUB	2003/01/03 11:52
12	1	5590306.pn. and (successiv\$4 or sequen\$7)	USPAT; US-PGPUB	2003/01/03 11:55
13	1	5590306.pn. and ((successiv\$4 or sequen\$7) near5 address\$4)	USPAT; US-PGPUB	2003/01/03 11:57

09/401,293		Search Queries
Hits	DBs	Search Text
1208	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155")).CCLS.)
87	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155")).CCLS.) and ((flash or prom or eeprom or eeprom) near5 rewrite\$4)
3	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155")).CCLS.) and ((flash or prom or eeprom or eeprom) near5 rewrite\$4) and ((flash or prom or eeprom or eeprom) near5 ((stage\$1 or step\$1) near3 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1)))
1	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155")).CCLS.) and ((flash or prom or eeprom or eeprom) near5 rewrite\$4) and (rewrite\$4 near8 ((stage\$1 or step\$1) near3 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1)))
2	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155")).CCLS.) and ((flash or prom or eeprom or eeprom) near5 rewrite\$4) and (rewrite\$4 near5 ((stage\$1 or step\$1 or level or status or start\$4 or begin\$6 or stop\$4 or end\$4) near3 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1)))
2	USPAT	((flash or prom or eeprom or eeprom) near5 (rewrite\$4 or modifi\$6)) and ((rewrite\$4 or modifi\$6) near5 ((stage\$1 or step\$1 or level or status or start\$4 or begin\$6 or stop\$4 or end\$4) near3 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1)))
5	USPAT	((flash or prom or eeprom or eeprom) near5 (rewrite\$4 or modifi\$6)) and ((rewrite\$4 or modifi\$6) near5 ((stage\$1 or step\$1 or level or status or start\$4 or begin\$6 or stop\$4 or end\$4) near3 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1))) and 711/\$.ccls.
6	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155")).CCLS.) and ((flash or prom or eeprom or eeprom) near5 (rewrite\$4 or modifi\$6)) and ((rewrite\$4 or modifi\$6) near5 ((stage\$1 or step\$1 or level or status or start\$4 or begin\$6 or stop\$4 or end\$4 or veri\$8) near3 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1)))
16	USPAT EPO; JPO; Derwent; IBM TDB	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155")).CCLS.) and ((flash or prom or eeprom or eeprom or nonvolatile or (non adj volatile)) near5 (rewrite\$4 or modifi\$6)) and ((rewrite\$4 or modifi\$6) near5 ((stage\$1 or step\$1 or level or status or start\$4 or begin\$6 or stop\$4 or end\$4 or veri\$8) near3 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1)))
56	USPAT	((flash or prom or eeprom or eeprom or nvm or nonvolatile or (non adj volatile)) near5 (rewrite\$4 or modifi\$6)) and ((rewrite\$4 or modifi\$6) near5 ((stage\$1 or step\$1 or level or status or start\$4 or begin\$6 or stop\$4 or end\$4 or veri\$8) near3 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1)))
10	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155")).CCLS.) and ((flash or prom or eeprom or eeprom or nvm or nonvolatile or (non adj volatile)) near5 (rewrite\$4 or modifi\$6)) and ((rewrite\$4 or modifi\$6) near5 ((stage\$1 or step\$1 or level\$1 or cycle\$1 or status or start\$4 or begin\$6 or stop\$4 or end\$4 or veri\$8) near3 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1)))
10	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155")).CCLS.) and ((flash or prom or eeprom or eeprom or nvm or nonvolatile or (non adj volatile)) near5 (rewrite\$4 or modifi\$6)) and ((rewrite\$4 or modifi\$6) near5 ((stage\$1 or step\$1 or level\$1 or cycle\$1 or history or status or start\$4 or begin\$6 or stop\$4 or end\$4 or veri\$8) near3 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1)))

25	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155") or 365/185.29 or 365/185.33).CCLS.) and ((flash or prom or eeprom or eeprom or nvm or nonvolatile or (non adj volatile)) near5 (rewrit\$4 or modif\$6) and ((rewrit\$4 or modif\$6) near7 (stage\$1 or step\$1 or level\$1 or cycle\$1 or history or status or start\$4 or begin\$6 or stop\$4 or end\$4 or verif\$8) near7 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1))
24	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155") or 365/185.29 or 365/185.33).CCLS.) and ((flash or prom or eeprom or eeprom or nvm or nonvolatile or (non adj volatile)) near5 (rewrit\$4 or modif\$6) and ((rewrit\$4 or modif\$6) near9 (stage\$1 or step\$1 or level\$1 or cycle\$1 or history or status or start\$4 or begin\$6 or stop\$4 or end\$4 or verif\$8) near4 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1))
EPO; JPO; Derwent; 16 IBM TDB		((flash or prom or eeprom or eeprom or nvm or nonvolatile or (non adj volatile)) near5 (rewrit\$4 or modif\$6) and ((rewrit\$4 or modif\$6) same (stage\$1 or step\$1 or level\$1 or cycle\$1 or history or status or start\$4 or begin\$6 or stop\$4 or end\$4 or verif\$8) near4 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1))
52	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155") or 365/185.29 or 365/185.33).CCLS.) and ((flash or prom or eeprom or eeprom) near5 (rewrit\$4 or modif\$6) and ((rewrit\$4 or modif\$6) same (stage\$1 or step\$1 or level\$1 or cycle\$1 or history or status or state\$1 or start\$4 or complete\$4 or verif\$8 or indicat\$6) near2 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1))
5	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155") or 365/185.29 or 365/185.33).CCLS.) and ((flash or prom or eeprom or eeprom) near5 (rewrit\$4 or modif\$6) and ((rewrit\$4 or modif\$6) same (stage\$1 or step\$1 or level\$1 or cycle\$1 or history or status or state\$1 or start\$4 or complete\$4 or verif\$8 or indicat\$6) near2 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1)) and ((writ\$4 or rewrit\$4 or modif\$6) near3 fail\$4)
165	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155") or 365/185.29 or 365/185.33).CCLS.) and ((flash or prom or eeprom or eeprom or nvm or nonvolatile or (non adj volatile)) near5 (stage\$1 or step\$1) and ((stage\$1 or step\$1) near4 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1))
72	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155") or 365/185.29 or 365/185.33).CCLS.) and ((flash or prom or eeprom or eeprom or nvm or nonvolatile or (non adj volatile)) near5 (rewrit\$4 or modif\$8 or writ\$4) near5 (stage\$1 or step\$1)) and ((stage\$1 or step\$1) near4 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1))
10	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155") or 365/185.29 or 365/185.33).CCLS.) and ((flash or prom or eeprom or eeprom or nvm or nonvolatile or (non adj volatile)) near5 (rewrit\$4) near5 (stage\$1 or step\$1)) and ((stage\$1 or step\$1) near4 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1))
29	USPAT	((flash or prom or eeprom or eeprom or nvm or nonvolatile or (non adj volatile)) near5 (rewrit\$4) near5 (stage\$1 or step\$1)) and ((stage\$1 or step\$1) near4 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1))
17	USPAT	((flash or prom or eeprom or eeprom or nvm or nonvolatile or (non adj volatile)) near5 (rewrit\$4 or refresh\$4 or modif\$8) near5 ((stage\$1 or step\$1 or state\$1 or status) near4 (flag\$4 or tag\$1 or bit\$1 or byte\$1 or field\$1))
1	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155")) CCLS.) and ((flash or prom or eeprom or eeprom) near5 map\$4 near5 (successiv\$6 or consecutiv\$4 or contiguous\$6 or sequen\$8) near5 address\$4)
13	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155")) CCLS.) and (compar\$6 near5 expected)
3	USPAT	((("711/103") or ("711/156") or ("711/154") or ("711/159") or ("711/155")) CCLS.) and ((compar\$6 near5 expected) same power\$4)
58	USPAT	((compar\$6 near5 expected) same power\$4) and (flash or prom or eeprom or eeprom)
1	USPAT	((compar\$6 near5 expected) same (rewrit\$4 or refresh\$4 or modif\$8) same power\$4) and (flash or prom or eeprom or eeprom)